



深圳市科弗特实业有限公司
KOFORD DEVELOPMENT CO.,LIMITED

1-2/F., Bldg. B, Zhancheng Industrial Park, No. 135 Fuyuan 1st Rd.,
Fuhai Str., Bao'an Dist., 518103 Shenzhen, China

86-755-3669 8077

86-755-3669 8177

sales@kf-ind.com



www.kf-ind.com

www.kf-ind.com

2024-2025 Edition

Pro- A / V Mounts and Stands

The products shown in this catalogue can be available at the time of order, please contact us for any specific product information needs and their characteristics may be updated based on continuous improvements in production.

COMPANY PROFILE



Koford is a professional company engaged in development, production and sales of TV mounting system, computer & monitor stand. Since its establishment 11 years ago, our products are mainly exported to European and American markets. Our customers include specialized online e-commerce providers and offline distribution traditional customers. The company has the worksite of 3000 square meters and an independent metal workshop and 2 assembly lines. At present, it has 50 employees. We attended exhibitions in Hong Kong and overseas every year.

Koford, a Chinese company & factory, has been specialized in LCD / Plasma Mount / Stand & Computer Accessories Supplier. Concentrating on offering products with unique design and high quality to meet the latest market trend. Koford's goal is to develop multiple new products each year and provide complete solutions to meet the needs of our customers worldwide. Besides, Koford has full experience in doing OEM&ODM business. Feel free to contact our sales team at sales@kf-ind.com to get more information about our products or any query you may have.



CONTENTS

Mounts & Stands for Flat TV Screens

TV Wall Mount	01-08	Video Conference Mount & Stand	31-38
TV Wall Mount Heavy Duty	09-12	Alu.Pillar TV Floor Stand	39-62
Push Video Wall Mount	13-14	Metal Pillar TV Floor Stand	63-80
Menuboard Video Wall Mount	15-20	Motorized TV Floor Stand	81-86
Ceiling Mount	21-26	Video Wall Stand	87-100
Kiosk Stand	27-30	Optional Parts	101-106

TV Wall Mount



- Wall-mounted Installation Offers Elegance and Flexibility

www.kf-ind.com



TV Wall Mount

45KG



LCD 2000





LCD 2002



LCD 2004




LCD 2006




Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
LCD 2000	Black or Silver	SPCC	14-32 "	25kgs	Max.200*200	0°	16.5mm
LCD 2002						-10° -+14°	50mm

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
LCD 2004	Black or Silver	SPCC	32-55 "	35kgs	Max.400*400	-10° -+14°	90mm
LCD 2006			37-70 "	45kgs	Max.600*400		



Product Details





Tilt




Cable Management



LCD 2010





LCD 2012




www.kf-ind.com



LCD 2011




LCD 2013




Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
LCD 2010	Black or Silver	SPCC	10-24 "	15kgs	Max.100*100	-10° -+14°	56mm
LCD 2011							50mm
LCD 2012							50mm
LCD 2013							52mm


TV Wall Mount




PL 5020S



PL 5020M



PL 5020L



PL 5020XL



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
PL 5020S	Black or Silver	SPCC	14-32 "	25kgs	Max.200*200	0°	22.3mm
PL 5020M			32-55 "	35kgs	Max.400*400		
PL 5020L			37-70 "	45kgs	Max.600*400		
PL 5020XL			42-70 "	60kgs	Max.800*400		

www.kf-ind.com


TV Wall Mount




Bubble Level




Wire Locking System with Magnet




Tilt




PL 5030S



PL 5030M



PL 5030L



PL 5030XL



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
PL 5030S	Black or Silver	SPCC	14-32 "	25kgs	Max.200*200	-10° --+14°	38mm
PL 5030M			32-55 "	35kgs	Max.400*400		
PL 5030L			37-70 "	45kgs	Max.600*400		
PL 5030XL			42-70 "	60kgs	Max.800*400		



HIGH STRENGTH AXIS
OF ROTATION


Rotate Left and Right · Stretch Back and Forth




Product Details




Screw Locking




Cable Management




Tilt and Stretch Range



PL 5040M



PL 5040L



PL 5040XL

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
PL 5040M	Black or Silver	SPCC	32-55 "	35kgs	Max.400*400	-12° -+5°	100mm
PL 5040L			37-70 "	45kgs	Max.600*400		
PL 5040XL			42-70 "	60kgs	Max.800*400		




SIX-ARM TV RACK

After 300,000 Pre-and Post-tensile Tests,
the Factor of Safety Improved Significantly




Product Details




Cantilever




Screw Locking




Cable Management




Tilt and Stretch Range



PL 5050M



PL 5050L




PL 5050XL

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
PL 5050M	Black or Silver	SPCC	32-55 "	35kgs	Max.400*400	-12° -+5°	100mm
PL 5050L			37-70 "	45kgs	Max.600*400		
PL 5050XL			42-70 "	60kgs	Max.800*400		


TV Wall Mount Heavy Duty



TV Wall Mount Heavy Duty



TVM 400



TVM 400A

Product Details



Fine Tune Adjustment
for Screen Level




Wire Locking System
with Magnet




Padlock Optional



Easy Tilt



TVM 800



TVM 800A

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
TVM 400	Black or Silver	2.5mm SPCC	30-60 "	125kgs	Max.400*600 Portrait	0°	39mm
TVM 400A						10°	79mm
TVM 800			70-110 "		Max.600*900 Portrait	0°	39mm
TVM 800A						10°	79mm



TV Wall Mount Heavy Duty



TVM 600




TVM 600A



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
TVM 600	Black or Silver	2.5mm SPCC	70-110 "	125kgs	Max.800*600 Landscape Max.400*600 Portrait	0°	39mm
TVM 600A						10°	79mm



TV Wall Mount Heavy Duty



TVM 900



TVM 900A






Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
TVM 900	Black or Silver	2.5mm SPCC	70-110 "	125kgs	Max.1200*900 Landscape Max.600*900 Portrait	0°	39mm
TVM 900A						10°	79mm




Push Video Wall Mount

Multi-screen Splicing







Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile	Level Adjustment
WMP 400S	Black or Silver	SPCC	30-52 "	70kgs	Max.400*400	-3° ~+3°	70mm	-3° ~+3°
WMP 600S			45-70 "		Max.600*400			
WMP 800S			54-70 "		Max.800*400			



Push Video Wall Mount


www.kf-ind.com

Push Video Wall Mount



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile	Level Adjustment
WMP 400	Black or Silver	SPCC	30-52 "	70kgs	Max.400*400	-3° ~+3°	130mm	-3° ~+3°
WMP 600			45-70 "		Max.600*400			
WMP 800			54-70 "		Max.800*400			



Menuboard Video Wall Mount




www.kf-ind.com

Menuboard Video Wall Mount

Product Details




Easy Tilt




Multiple Screens Solution

- SPCC Rail 2-Screen 26-42" VESA Max 600x400 Landscape


Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation
AWM 200S	Black or Silver	SPCC	26-42 "	30kgs Per Screen	Max.600*400	-5--+12°	Landscape
AWM 300S							




- SPCC Rail 3-Screen 26-42" VESA Max 600x400 Landscape




AWM 200S



AWM 300S



● SPCC Rail 2-Screen 30-60" VESA Max 800x400 Landscape




Product Details



Multiple Screens Solution



Locking System




Easy Tilt



Fine Tune Adjustment for Screen



● SPCC Rail 3-Screen 30-60" VESA Max 800x400 Landscape




- High gauged cold steel provides very sturdy structure
- 5° / +12° Tilt the VESA board for a better view

Multiscreen Connection

- △ Stable Structure
- △ Easy to Assemble


Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation
AWM 200	Black or Silver	SPCC	30-60 "	40kgs Per Mount	Max,800*400	-5-+12°	Landscape
AWM 300							



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
AWM 200PM	Black or Silver	2.5mm SPCC	37-70 "	125kgs Per screen	Max.400*600 Portrait	-10°-+12°	75mm
AWM 300PM							


AWM 200PM

SPCC Rail 2-Screen 37-70"
VESA Max 400x600 Portrait



AWM 200PM

SPCC Rail 3-Screen 37-70"
VESA Max 400x600 Portrait



■ Product Details



Multiple Screens Solution



Wire Locking System
with Magnet



Easy Tilt




Fine Tune Adjustment
for Screen Level

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Profile
AWM 200PL	Black or Silver	2.5mm SPCC	42-70 "	125kgs Per screen	Max.400*800 Portrait	-10°-+12°	75mm
AWM 300PL							


AWM 200PL

SPCC Rail 2-Screen 42-70"
VESA Max 400x800 Portrait



AWM 300PL

SPCC Rail 3-Screen 42-70"
VESA Max 400x800 Portrait



Ceiling Mount




Ceiling Mount



CM 003


- Height Adjustment
- Durable and Space Saving



Product Details



Length Adjustment




Tilt



360°



Cable Management




Height Adjustment



CM 004




- Telescopic Tube
- Durable and Space Saving





Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Length
CM 003	Black or Silver	SPCC	30-60 "	120kgs	Max.600*400	-5° --+12°	Min1400-Max1600
CM 004				160kgs	Max.400*400		



Product Details











Model	Color	Material	Suggest size	Loading Capacity	VESA Standard	Tilt	Length
PL 5060S	Black or Silver	SPCC	14-32 "	25kgs	Max.200*200	25°	Min915-Max1100
PL 5060M			32-55 "	35kgs	Max.400*400		
PL 5060L			37-70 "	45kgs	Max.600*400		
PL 5060XL			42-70 "	60kgs	Max.800*400		





Product Details




Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Length
CM 200C	Black or Silver	SPCC	30-60 "	40kgs Per Screen	Max.800*400	-5° -+12°	Min1220-Max1520
CM 300C							
CM 200CA							
CM 300CA							



Signing Ceremony

Model:	KS P 001
Material:	SPCC
Color:	Black or White
Anti-theft:	Yes
Charging Cable:	Optional
Power Rail with USB Port:	included
Suitable Size:	Customized as Tablet Size



KS P 001

Product Details



Cable Management



Locking with Anti-theft



Multimedia Storage




3-outlet Power Rail
W/ USB Hub



Back Door



NEW
Product



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Tilt	Cable Management
KS 001	Black or White	SPCC	15-32 "	30kgs	Max.200*100	Landscape / Portrait	45°	Yes



Cable Management



Tilt




Landscape & Portrait



Back Door



NEW
Product



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Cable Management
KS 002	Black or White	SPCC	30-60 "	60kgs	Max.600*400 Landscape Max.400*600 Portrait	0°	Yes



Cable Management



Adjustable Feet on Base




Multimedia Storage



Back Door



Video Conference Mount & Stand




Landscape & Portrait	Tilt	Cable Management	4-outlet Power Rail	Floor Mount	Wall Mount
----------------------	------	------------------	---------------------	-------------	------------

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation
WM 106AL	Black or Silver	Alu. / SPCC / ABS	30-60 "	60kgs	Max.800*400	-5° --+15°	Landscape / Portrait


Landscape / Portrait

TV Stand -- video conferencing scheme showcasing both landscape and portrait viewing of the TV, allowing users to avoid annoying wires and talk easily in a variety of ways.

WM 106AL



Video Conference Mount & Stand




Fine Tune Adjustment for Screen Level	Screw Locking	Tilt	Cable Management	4-outlet Power Rail	Floor Mount	Wall Mount
---------------------------------------	---------------	------	------------------	---------------------	-------------	------------

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation
WM 202AL	Black or Silver	Alu. / SPCC / ABS	30-60 "	40kgs Per Mount	Max.800*400	-5° --+12°	Landscape

WM 202AL

Height Adjustment

12 degrees tilt angle fine-tuning design, give you a better viewing experience. The use of high quality steel, safety, rust - proof, more texture





Landscape & Portrait



Tilt



Cable Management



4-outlet Power Rail



Handle Bar



Power Rail




Back Door



Height Adjustment



VRS 1000



Model	VRS 1000
Color	Black or Silver
Material	Alu. / SPCC / Plexiglass
Suggest Size	30-60"
Loading Capacity / Mount	60kgs
Loading Capacity / Shelf	20kgs per Shelf
Loading Capacity / Top Cabinet	30kgs
VESA Standard	Max.800*400
Tilt	-5°-+15°
Orientation	Landscape & Portrait
Power Rail on Pillar	Yes
Power Rail in Cabinet	Yes
Cable Management	Yes

www.kf-ind.com



Landscape & Portrait



Tilt



Cable Management



4-outlet Power Rail



Handle Bar



Power Rail



Cabinet Back




Height Adjustment

Model	VRS 1000A
Color	Black or Silver
Material	Alu. / SPCC / Plexiglass
Suggest Size	30-60"
Loading Capacity / Mount	60kgs
Loading Capacity / Shelf	20kgs per Shelf
Loading Capacity / Top Cabinet	30kgs
VESA Standard	Max.800*400
Tilt	-5°-+15°
Orientation	Landscape & Portrait
Power Rail on Pillar	Yes
Power Rail in Cabinet	Yes
Cable Management	Yes



VRS 1000A





Fine Tune Adjustment
for Screen Level



Tilt



Screw Locking



Cable Management



4-outlet Power Rail



Handle Bar




Power Rail



Back Door



Height Adjustment



VRS 2000



Fine Tune Adjustment
for Screen Level



Tilt



Screw Locking



Cable Management



4-outlet Power Rail



Handle Bar



Power Rail




Cabinet Back



Height Adjustment

Model	VRS 2000 / VRS 2000A
Color	Black or Silver
Material	Alu. / SPCC / Plexiglass
Suggest Size	30-60"
Loading Capacity / Mount	40kgs per mount
Loading Capacity / Shelf	20kgs per Shelf
Loading Capacity / Top Cabinet	30kgs
VESA Standard	Max.800*400
Tilt	-5°-+12°
Orientation	Landscape
Power Rail on Pillar	Yes
Power Rail in Cabinet	Yes
Cable Management	Yes




VRS 2000A

NEW
Product



Front Door

Model	MB 003A
Color	Black / Silver / White
Material	SPCC / Plexiglass / Plastic
Cable Management	
3 Shelves Adjustment	
Power rail inside Cabinet	
Single door front & double door back W / Lock	



MB 003A

Max
60kg
[132lbs]



Cable Management


■ Product Details



Cable Management



4-outlet Power Rail




Three Shelves



Keyboard Tray



Back Door



MB 004

Model	MB 004
Color	Black or Silver
Material	SPCC / Plexiglass
Cable Management	
3 Shelves Adjustment	
Power rail inside Cabinet	
2pcs back doors & front doors W / Lock	
Plexiglass door for remote working	



■ Product Details

Max
60kg
[132lbs]



Cable Management



Handle Bar



Four Shelves



Cable Management




4-outlet Power Rail



Height Adjustment



Back Door



MB 004A

Model	MB 004A
Color	Black or Silver
Material	SPCC / Plexiglass
Cable Management	
3 Shelves Adjustment	
Power rail inside Cabinet	
Front doors W / Lock	
Punching metal door for remote working	



■ Product Details

Max
60kg
[132lbs]



Cable Management



Handle Bar



4-outlet Power Rail



Cable Management



Castors



Height Adjustment




Cabinet Back



Product Details




Adjustable Feet





Vertical / Tilt / Table





Floor Mount Base



Cable Management




AVA 103A



AVA 103B

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management
AVA 103A	Black or Silver	Alu. / SPCC	10-32"	15kgs	200*200, 200*100	0° -45° -90°	Landscape	No	Yes
AVA 103B					100*200, 100*100 75*75, 50*50				



AVA 109A

Landscape & Portrait

Cable Management

Quick Release

AVA 109D

AVA 109DB

Dual screen

AVA 109E

AVA 109F

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVA 109A	Black or Silver	Alu. / SPCC	30-60 "	50kgs	Max.700*400 Landscape Max.400*700 Portrait	0°	No	Yes
AVA 109D								
AVA 109DB								
AVA 109E								
AVA 109F								



Product Details



Vertical / Tilt / Table




VESA 200*200




Cable Management


Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management
AVA 101A	Black or Silver	Alu. / SPCC	32-55 "	60kgs	Max.700*400	0° -45° -90°	Landscape	No	Yes
AVA 101D									
AVA 101F									



AVA 101A



AVA 101D



AVA 101F








AVA 102A



AVA 102D



AVA 102F



Product Details



Vertical / Tilt / Table



VESA 200*200




Cable Management



4-outlet Power Rail

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management
AVA 102A	Black or Silver	Alu. / SPCC	32-55 "	60kgs	Max.700*400	0° -45° -90°	Landscape	Yes	Yes
AVA 102D									
AVA 102F									



AVA 106A




AVA 106B1

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVA 106A	Black or Silver	Alu. / SPCC	30-60 "	60kgs	Max.800*400 Landscape	-5° -+15°	Yes	Yes
AVA 106B1					Max.400*800 Portrait			




AVA 106DL

Product Details




AVA 106D



AVA 106E

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVA 106D	Black or Silver	Alu. / SPCC	30-60 "	60kgs	Max.800*400 Landscape	-5° -+15°	Yes	Yes
AVA 106E					Max.400*800 Portrait			
AVA 106DL								






AVB 106A



AVB 106D



AVB 106F



Product Details



Landscape & Portrait



Tilt



Cable Management





4-outlet Power Rail





Media Box

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVB 106A	Black or Silver	Alu. / SPCC	30-60 "	60kgs	Max.800*400 Landscape Max.400*800 Portrait	-5° --+15°	Yes	Yes
AVB 106D								
AVB 106F								




Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVA 201A	Black or Silver	Alu. / SPCC	30-60 "	40kgs Per Monut	Max.800*500 Landscape Max.500*800 Portrait	-5° -+15°	Yes	Yes
AVA 201B1								
AVA 201D								
AVA 201F								






AVA 202A


Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVA 202A	Black or Silver	Alu. / SPCC	30-60 "	40kgs Per Monut	Max.800*400 Landscape Max.400*800 Portrait	-5° -+15°	Yes	Yes
AVA 202B1								
AVA 202D								
AVA 202F								



AVA 202B1



AVA 202D



AVA 202F

Product Details



Tilt



Screw Locking




Fine Tune Adjustment
for Screen Level



Cable Management




4-outlet Power Rail



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVE 200DL	Black or Silver	Alu. / SPCC	30-60 "	40kgs Per Monut	Max.800*400 Landscape Max.400*800 Portrait	-5° --+15°	Yes	Yes



Adjustable Feet on Base



AVE 200DL



AVE 200A



AVE 200B


Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
AVE 200A	Black or Silver	Alu. / SPCC	30-60 "	40kgs Per Monut	Max.800*400 Landscape Max.400*800 Portrait	-5° --+15°	Yes	Yes
AVE 200B								
AVE 200C								
AVE 200D								



Landscape & Portrait




Tilt



Cable Management



4-outlet Power Rail



AVE 200C



AVE 200D




Product Details




Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management
AVA 110A	Black or Silver	Alu. / SPCC	50-110 "	125kgs	Max.800*600	-5° ~+15°	Landscape	No	Yes
AVA 110B									
AVA 110C									
AVA 110D									
AVA 110F									






AVA 702A

Product Details



Tilt



Fine Tune Adjustment for Screen Level




Wire Locking System with Magnet



Cable Management




4-outlet Power Rail




AVA 902A

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Cable Management
AVA 702A	Black or Silver	Alu. / SPCC	55-85 "	200kg	Max.800*600	-5° -+12°	Landscape	Yes
AVA 902A			70-120 "	250kg	Max.1200*900			



SAV 102A


- Metal Base
- Metal Tube
- Metal Bracket




SAV 102B

- Stainless Steel Base
- Stainless Steel Tube
- Metal Bracket

Product Details



Landscape & Portrait



Quick Release



Height Adjustment



Cable Management



Fine Tune Feet


Model	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Cable Management
SAV 102A	Steel	30-60 "	50kg	Max.700*400	Landscape / Portrait	Yes
SAV 102B	Stainless Steel					

Metal Pillar TV Floor Stand




Metal Pillar TV Floor Stand

Model	SAV 570
Suggest Screen Size	42-75"
Color	Black /Silver /White
Material	SPCC
Loading Capacity/bracket	80kgs
Loading Capacity/ Shelf	5kgs
Loading Capacity/ Camera	5kgs
Camera & DVD Shelf	included camera shelf
Height	1370-1620mm
VESA Standard	Max 700*500mm



SAV 570

Model	SAV 580
Suggest Screen Size	55-110"
Color	Black /Silver /White
Material	SPCC
Loading Capacity/bracket	120kgs
Loading Capacity/ Shelf	5kgs
Loading Capacity/ Camera	5kgs
Camera & DVD Shelf	included camera shelf
Height	1600-1850mm
VESA Standard	Max 900*600mm




SAV 580

Product Details



Screw Locking



Height Adjustment




Cable Management




Brake Castor

Heavy Duty



Model	SAV 590
Suggest Screen Size	75-120"
Color	Black /Silver /White
Material	SPCC
Loading Capacity/bracket	200kgs
Loading Capacity/ Shelf	5kgs
Loading Capacity/ Camera	5kgs
Camera & DVD Shelf	included camera shelf
Height	1738mm
VESA Standard	Max 1200*600mm



Product Details



Screw Locking




Small Box




Brake Castor

Metal Pillar TV Floor Stand



Metal Pillar TV Floor Stand




SAV 102A

Product Details



Vertical / Tilt / Table




Tilt knob



3-outlet Power Rail



Cable Management




SAV 102D

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management
SAV 102A	Black or Silver	SPCC	32-55 "	50kgs	Max.600*400	90° ~180°	Landscape	Yes	Yes
SAV 102D									

Metal Pillar TV Floor Stand

Optional Part:



Metal Pillar TV Floor Stand


www.kf-ind.com

NEW
Product



Metal Tube joint
make packaging smaller


SAV 106A



Landscape & Portrait



Screw Locking




Tilt




3-outlet Power Rail



Cable Management




Metal Tube joint
make packaging smaller




SAV 106B

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
SAV 106A	Black or Silver	SPCC	30-60 "	50kgs	Max.600*400 Landscape	-5° ~+15°	Yes	Yes
SAV 106B					Max.400*600 Portrait			

Metal Pillar TV Floor Stand



Metal Pillar TV Floor Stand



SAV 200A




SAV 200B



SAV 200D


Product Details



Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
SAV 200A	Black or Silver	SPCC	30-60 "	40kgs Per Monut	Max.600*400 Landscape Max.400*600 Portrait	0°	Yes	Yes
SAV 200B								
SAV 200D								

Metal Pillar TV Floor Stand

NEW Product




SAV 201A

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Power Rail	Cable Management
SAV 201A	Black or Silver	SPCC	30-60"	40kgs Per Monut	Max.600*400 Landscape	-5° ~+15°	Yes	Yes
SAV 201D								

www.kf-ind.com

NEW Product

Metal Pillar TV Floor Stand



SAV 201D

Product Details



Height Adjustment



Screw Locking




3-outlet Power Rail



Cable Management

Metal Pillar TV Floor Stand

NEW
Product



SAV 300A

Product Details



Screw Lock Fixation



Back Door



Cable Management



Padlock Option






3-outlet Power Rail

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management
SAV 300A	Black or Silver	SPCC	50-110 "	125kgs	Max.1000*600	0°	Landscape	Yes	Yes

www.kf-ind.com

Metal Pillar TV Floor Stand



- Landscape
- Portrait

EAS 001



Product Details



Locking System



Handle Bar




Casters



Adjustable Feet


Model	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Cable Management
EAS 001	Steel	30-55 "	60kgs	Max.400*400 Landscape Max.400*600 Portrait	76.5°	Yes

Metal Pillar TV Floor Stand



SAV 106A1

Height Adjustable



SAV 106B1

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management	Telescopic Tube
SAV 106A1	Black or Silver	SPCC	30-60 "	50kgs/Bracket	Max.600*400	0°	Landscape	Optional on Base	Yes	Yes
SAV 106B1				5kgs/DVD Shelf						

Optional Part:



☐ Power Rail Optional on Base




☐ Camera Holder



☐ Codec Shelf


www.kf-ind.com

Metal Pillar TV Floor Stand



SAV 107A

Height Adjustable



SAV 107C

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management	Telescopic Tube
SAV 107A	Black or Silver	SPCC	30-60 "	50kgs/Bracket	Max.600*400	0°	Landscape	Optional on Base	Yes	Yes
SAV 107C				10kgs/Box						

Product Details



Screw Locking



Telescopic Tube Height Adjustment



Cable Management



Cable Management

Metal Pillar TV Floor Stand



SAV 110A

Product Details



Easy Tilt



Wire Locking System with Magnetic



Fine Tune Adjustment for Screen Level


Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management	Telescopic Tube
SAV 110A	Black or Silver	SPCC	70-110 "	125kgs	Max.800*600	-5° ~+15°	Landscape	No	Yes	No



Metal Pillar TV Floor Stand




SAV 110B





SAV 110C



Product Details



Screw Locking



Wire Locking System with Magnetic



3-outlet Power Rail



Cable Management

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Tilt	Orientation	Power Rail	Cable Management
SAV 110B	Black or Silver	SPCC	50-110 "	125kgs	Max.1000*600	0°	Landscape	Yes	Yes
SAV 110C									


Motorized TV Floor Stand




Motorized TV Floor Stand

www.kf-ind.com

NEW
Product



MT 001A



MT 001C



Landscape & Portrait



Screw Locking



Integrated Base



Wired Controller



Remote Control

Model	MT 001A	MT001C	Input Power	AC 110-240V, Max 6A
Color	Black / White / Silver		Output	29V DC 2A
Material	SPCC		Frequency	2.4G HZ
Suggest Size	32-70"		Remote Control Distance	Max 10-15 Meters
Loading Capacity	80kgs		VESA Standard	Max.600(L)*400W)mm Min 200*200
Optional Parts	Codec Shelf		Orientation	Landscape / Portrait
Height	Min.750mm- Max1650mm	Min.810mm- Max1710mm	Motor Certified	CE / UL / FCC / UKCA / SAA
Lift Distance	900mm		Power Consumption	< 0.1W
Lift Speed	25mm Per Second		Power Rail	No




Intelligent Life


Free Control of Altitude

Double Pole column, stronger bearing, more stable

Model	• MT 002B	• MT002C	Input Power	AC 220-240V, Max 6A
Color	Black / White / Silver		Output	29V DC 2A
Material	SPCC		Frequency	2.4G HZ
Suggest Size	48-110"		Remote Control Distance	Max 10-15 Meters
Loading Capacity	100kgs		VESA Standard	Max.1000(L)*600(W)mm Min 200*200
Optional Parts	Codec Shelf		Orientation	Landscape
Height	Min.900mm- Max1800mm	Min.780mm- Max1680mm	Motor Certified	CE / UL / FCC / UKCA / SAA
Lift Distance	900mm		Power Consumption	< 0.3W
Lift Speed	25mm Per Second		Power Rail	Yes



MT 002B



MT 002C



Product Details



2-outlet Power Rail



Screw Locking



Wired Controller




Remote Control



MT 680

Multi-function TV Stand
Remote Control Lift
Multi-angle Tilt and Height Adjustment



Flip Fixed Position

Castors

4-Outlet Power Rail Mount on Base

0° - 45° - 90°

Model	MT 680	Lift Speed	Lifting 28mm Per Second, Rotation 11mm Per Second
Material	SPCC	Input Power	220-240V
Suggest Size	42-75"	Output	29V
Loading Capacity	100kgs	Frequency	50Hz
Tilt	0-45-90 Degree	Remote Control Distance	15m
Height	750mm-1400mm	VESA Standard	Max 800*600mm
Lift Distance	650mm		

Video Wall Stand




AW 2*1



AW 2*2



AW 2*3



Both Included



4-outlet Power Rail
Optional on Base



Depth Adjustment 15mm
Height Adjustment 15mm



Locking System




Cable Management

NEW
Product


Video Wall Stand




AW 2*1



AW 2*2



AW 2*3




Model	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Power Rail	Cable Management
AW 2*1	Alu. / SPCC	30-55 "	40kgs Per Mount	Max.800*400	Landscape	Optional on Base	Yes
AW 2*2							
AW 2*3							




AW 3*1



AW 3*2




AW 3*3



Both Included



4-outlet Power Rail
Optional on Base



Depth Adjustment 15mm
Height Adjustment 15mm



Locking System




Cable Management


NEW
Product




AW 3*1



AW 3*2




AW 3*3



Model	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Power Rail	Cable Management
AW 3*1	Alu. / SPCC	30-55 "	40kgs Per Mount	Max.800*400	Landscape	Optional on Base	Yes
AW 3*2							
AW 3*3							



Product Details



Depth Adjustment 15mm
Height Adjustment 15mm



Locking System




Floormount Base



Cable Management

HD 004




Wall fixed end

Connecting aluminum rod


NEW
Product




FW 2*1



FW 2*2



FW 2*3



Model	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Power Rail	Cable Management
FW 2*1	Alu. / SPCC	30-55 "	40kgs Per Mount	Max.600*400	Landscape	No	Yes
FW 2*2							
FW 2*3							

Video Wall Stand



Product Details



Depth Adjustment 15mm
Height Adjustment 15mm



Locking System




Floormount Base



Cable Management

HD 004




Wall fixed end


Connecting aluminum rod

NEW
Product


Video Wall Stand



FW 3*1



FW 3*2





FW 3*3


Model	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Power Rail	Cable Management
FW 3*1	Alu. / SPCC	30-55 "	40kgs Per Mount	Max.600*400	Landscape	No	Yes
FW 3*2							
FW 3*3							



AW 300



AW 400



Depth Adjustment 15mm
Height Adjustment 15mm



Locking System



4-outlet Power Rail



Cable Management

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Power Rail	Cable Management
AW 300	Black or Silver	Alu. / Metal	30-55 "	40kgs Per Mount	Max.800*400	Landscape	Built into the Pillar	Yes
AW 400								

Video Wall Stand



Depth Adjustment 15mm
Height Adjustment 15mm



Locking System




4-outlet Power Rail




Cable Management

Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Power Rail	Cable Management
AW 600	Black or Silver	Alu. / Metal	30-55 "	40kgs Per Mount	Max.800*400	Landscape	Built into the Pillar	Yes
AW 800								
AW 900								


Video Wall Stand




AW 600



AW 800



AW 900







Model	Color	Material	Suggest Size	Loading Capacity	VESA Standard	Orientation	Power Rail	Cable Management
AWP 300	Black or Silver	Alu. / Metal	30-55 "	40kgs Per Mount	Max.400*800	Portrait	Built into the Pillar	Yes
AWP 400								
AWP 600								




AWP 300



AWP 400



AWP 600



Product Details



Depth Adjustment 15mm
Height Adjustment 15mm




Locking System



4-outlet Power Rail



Cable Management




Vertical VESA 800 Adapter

PM 001

Projector Mount

Wall or Ceiling Mounr for Projector
Arm Length Adjustment : 65-430mm



Wall Mounted



Ceiling Long Arm Max 65mm





Ceiling Long Arm Max 430mm



TV Bracket

Universal for Public Stand Series
Color:Black or Silver
Material:SPCC
Orientation:Landscape / Portrait
Quick release & Lock optional

TVM 109




Portrait



TV Bracket

Universal for Public Stand Series
Material:SPCC
Color:Black or Silver
Orientation:Landscape

TVM 202



TV Bracket

Universal for Public Stand Series
Color:Black or Silver
Material:SPCC
Orientation:Landscape / Portrait

TVM 106



Landscape / Portrait



TV Bracket

Universal for Public Stand Series
Material:SPCC / Alu.
Color:Black or Silver
Orientation:Landscape


TVM 106B



Keyboard Tray

KB 001

Color:Black / Silver / White
Material: MDF / SPCC
Height Adjustment
Width Adjustment
Universal for KF Carts



Keyboard Tray Slide




Keyboard Tray

Codec or Printer Shelf

PRT 002


Universal for KF Products
Material: MDF / SPCC
Color:Black or Silver
With Adjustment



Storage Box

STR 001

Universal for KF Products
Material:SPCC
Color:Black or Silver



Max 20kg [44lbs]

Height Adjustment

Easy Assembly

Codec or Printer Shelf

PRT 001

Universal for KF Products
Material:SPCC
Color:Black or Silver
With Adjust ment



Max 10kg [22lbs]

Fall & Anti-theft

Height Adjustment

Easy Assembly



CPU Holder

CPU 001

Universal for KF Products
Material:SPCC
Color:Black or Silver
With Adjustment



Max 20kg [44lbs]

Fall & Anti-theft

Height Adjustment


Easy Assembly



A4 Document shelf

DOC 001M


Universal for KF Products
Material:SPCC
Color:Black or Silver



Max 5kg [11lbs]

Height Adjustment

Easy Assembly




A4 Size

A3 Document shelf

DOC 001L


Universal for KF Products
Material:SPCC
Color:Black or Silver



Max 5kg [11lbs]

Height Adjustment

Easy Assembly



A3 Size

Camera Holder **CMR 001**

Universal for KF Products
Color:Black or Silver
Material:SPCC
Cable Management

Max 3kg
Cable Management
Height Adjustment
Fail & Anti-theft
Easy Assembly

Camera Holder Heavy Duty **CMR 002**

Universal for KF Products
Color:Black or Silver
Material:SPCC
Cable Management

Max 5kg [11lbs]
Cable Management
Screen Leveling
Height Adjustment
Fail & Anti-theft
Easy Assembly

DVD Frontshelf **DVD 001**

Universal for KF Products
Material:SPCC
Color:Black or Silver
Cable Management

Max 10kg [22lbs]
Screen Leveling
Height Adjustment
Fail & Anti-theft
Easy Assembly

Camera Holder Heavy Duty **CMR 003**

Universal for KF Products
Material:SPCC
Color:Black or Silver
Cable Management

Max 5kg [11lbs]
Cable Management
Screen Leveling
Height Adjustment
Fail & Anti-theft
Easy Assembly

PC Mediabox / Digital Signage Box **MBS 002**

Universal for KF Products
Material:SPCC
Color:Black or Silver
Cable Management
Wallmounted adapters included
Door with lock

Press to unlock
Velcro Fixation
Cable Management

Max 20kg [44lbs]

Single Column Mounting
Double Column Mounting

Media Box **MB 001**

Universal for KF Products
Material:SPCC / Plexiglass
Color:Black or Silver
Cable Management
Plexiglass door for remote working
Door with lock

Max 20kg [44lbs]
Cable Management
Screen Leveling
Height Adjustment
Fail & Anti-theft
Easy Assembly

PC Mediabox / Digital Signage Box **MBS 001**

Universal for KF Products
Material:SPCC
Color:Black or Silver
Cable Management
Wallmounted adapters included
Door with lock

Outside size
Inside size

VESA:
50x50 75x75
100x100 200x100
200x200 300x200
300x300 400x200
400x400

40-55" 102-40cm
Max 50kg [110lbs]
Max 400*400
Cable Management

Floor Base **BS 100**

Universal for KF Products
Material:Steel 5mm thickness
Color:Black or Silver

13.5

Floor Base **BS 200**

Universal for KF Products
Material:Steel 5mm thickness
Color:Black or Silver

13.5

Adjustable Feet **ADF 001**

Universal for KF Carts
Material:Rubber or Metal

M10
72
20
Ø 60

E Floormount Base **E 001**


Color:Black / Silver / White

260
170

Cable Hooks

Universal for KF Products
Material:SPCC
Color:Black or Silver

HK 001



Max
2kg
[4.4lbs]




Cable Hooks

Universal for KF Products
Material:SPCC
Color:Black or Silver

HK 001A / HK 002

Max
2kg
[4.4lbs]



Handle Bar

Universal for KF Carts
Material:Alu.Casting



Handle Bar


HDL 001



Handle Bar

Handle Bar

Universal for KF Carts
Material:SPCC



HDL 002



Handle Bar

Flight Case

Universal for KF Products
Material:Alu. / Wood / Foam
W/Pull for Divided Pillar

FC 001



Castors



Flight Case

Universal for KF Products
Material:Alu. / Wood / Foam
W/O Pull for Long Pillar

FC 002



Castors

